

SIRIUS T S 3X3



Product Name: Sirius T S 3X3

Product Code: SRS-T-S-67211

Environment: Indoor

Usage Area: Office, Hotel, Store, Corridor etc.

Category: Spot Lighting

Mounting Type: Recessed











- OSA Lighting Technique offers indoor and outdoor lighting applications with different solutions in color and size in local production.
- High efficiency, long life LED. High color rendering index.
- LED spots, which have the feature of being longlasting, also bring savings with them.
- Rectangular recessed multi-downlight made of die cast aluminium: equipped with two individually selected customised optics.



SIRIUS T S 3X3



CE ISO IP







Housing: Die Cast Aluminum

Body Colour: Ral 9010

Light Source: Led/Lamp OSRAM

Operating Temperature: -20 to 40

Distribution: Direct/Indirect

Warranty: 2 years

Diffuser: Reflector(PMMA)

Driver: Electronic

Product Type:

01

Dimensions (mm):

130mm x 130,5mm x 54,5mm

Cutting: mmxmm

Watt (W):

31.5 W

Input Volt:

180-240Volt

Beam Angle:

- 15°
- 240
- 36°
- ww^{o}
- 300 *750

Driver Options:

Dali



SIRIUS T S 3X3



Lumen/watt: 125lm/W

• 3500 lm

CRI:

• >80 CRI

Color Temperature:

• 2700-6500Kl

Warranty:

• 5 Year

IP Protection:


• IP 44














Width(a)	123,5 mm
Height(b)	54,5 mm
Frame length(c)	130 mm
Frame weight(d)	130,5 mm
Cutting size	125mmx125mm