

SIRIUS W L4

Product Name: Sirius W L4


Product Code: SRS-W-L4-67215

Environment: Indoor

Usage Area: Office, Hotel, Store, Corridor etc.

Category: Spot Lighting

Mounting Type: Recessed



- **OSA Lighting Technique** offers indoor and outdoor lighting applications with different solutions in color and size in local production.

- High efficiency, long life LED. High color rendering index.

- LED spots, which have the feature of being long-lasting, also bring savings with them.

- Rectangular recessed multi-downlight made of die cast aluminium: equipped with four individually selected customised optics.

SIRIUS W L4



Housing: Die Cast Aluminum

Body Colour: Ral 9010

Light Source: Led/Lamp OSRAM

Operating Temperature: -20 to 40

Distribution: Direct/Indirect

Diffuser: Reflector (PMMA)

Driver: Electronic

Product Type:

- 01

Dimensions (mm):

- 171,94mm x 49,5mm
- **Cutting:** 161mmx56,8mm

Watt (W):

- 14 W

Input Volt:

- 180-240Volt

Beam Angle:

- 15°
- 24°
- 36°
- ww°
- 30° *75°

Driver Options:

- Dali



SIRIUS W L4



Lumen/watt: 125lm/W

- 2030lm

CRI:

- >80 CRI

Color Temperature:


- 2700-6500Kl

Warranty:

- 5 Year

IP Protection:

- IP 44



Width(a)	153mm
Height(b)	49,5mm
Frame length(c)	171,94mm
Frame weight(d)	67,74mm
Cutting size	161mmx56,8mm