

Febris L SOLAR LED STREET LIGHT




Product Name: Febris L SOLAR LED STREET LIGHT

Product Code: FBRS-L-67238



- **OSA Lighting Technique** offers indoor and outdoor lighting applications with different solutions in color and size in local production.

- High efficiency, long life LED. High color rendering index.



- Febris M 100W 120W is a perfect answer to be used for main road, it built in high capacity of LifePO4 battery pack and MPPT controller, and providing more than 12000lm which is very good for high poles. 6 hours 100% + 6 hours 50% as default lighting program. It connects to solar panel with universal MC4 connectors and cable is 2.5mm².

Febris L SOLAR LED STREET LIGHT



Housing: Die Cast Aluminum

Light Source: LED

Operating Temperature: -20 to 85

Distribution: Direct/Indirect

Warranty: 3 years

Product Type:

- 01
- 02

Dimension(mm)

- 310x800x116 mm

Watt (W):

- 100W - 120W

Input Volt:

- 220 V

LifePO4 Battery:

- 921WH
- 1075WH

Febris L SOLAR LED STREET LIGHT



Lumen

- 12800lm
- 14800lm

Beam Angle: 25°-120°

CRI:

- >80 CRI

Color Temperature:

- 5500-6000K

Service Life:

- 50,000 Hours

IP Protection:

- IP65

