

Febris S SOLAR LED STREET LIGHT



Product Name: Febris S SOLAR LED STREET LIGHT

Product Code: FBRS-S-67247



- **OSA Lighting Technique** offers indoor and outdoor lighting applications with different solutions in color and size in local production.

- High efficiency, long life LED. High color rendering index.

- Febris S all in two smart solar led street light is the most classic model in past years, it adopts LifePO4 battery pack, MPPT charge controller and ultra brightness Lumileds chip, Febris S is designed for continuous long time and high brightness output with lighting program 6 hours 100% power and 6 hours 50%. Any solar panel can be plugged in directly with MC4 connects.

Febris S SOLAR LED STREET LIGHT



Housing: Die Cast Aluminum

Light Source: LED

Operating Temperature: -20 to 85

Distribution: Direct/Indirect

Warranty: 3 years

Product Type:

- 01

Dimension(mm)

- 250x568x92 mm

Watt (W):

- 50W - 80W – 120W

Beam Angle:

- 25-120°

Input Volt:

- 220 V

LifePO4 Battery:

- 230WH
- 307WH
- 460WH

Febris S SOLAR LED STREET LIGHT



Lumen:

- 2800lm
- 4200lm
- 6500lm

CRI:

- >80 CRI

Color Temperature:

- 5500-6000K

Service Life:

- 50,000 Hours

IP Protection:

- IP65

