



LIMA SQUARE DOWNLIGHT



Product Name: Lima Square Downlight

Product Code: LIMA-SQ-67249

Environment: Outdoor


Usage Area: Park, Garden, Landscape etc.

Category: Downlight Lighting

Mounting Type: Recessed

- **OSA Lighting Techniques** offers indoor and outdoor lighting applications with different solutions in color and size in local production.
- Easy installation and low maintenance, Lima Square will be your light source for years.
- Heat and impact-protected, sanded decorative glass that provides homogeneous light distribution without glare

LIMA SQUARE DOWNLIGHT



Housing: Die Cast Aluminum

Light Source: Led/Lamp

Operating Temperature: -20 to 85

Color: Electrostatic RAL

Distribution: Direct/Indirect

Warranty: 2 years

Diffuser: Glass or Acrylic

Driver: Electronic

Product Type:

- 1

Dimensions (mm):

- 82x82x81.5

Watt (W):

- 3-10W


Input Volt:

- 220-240V

Lumen/watt :125lm/W

- 330-1120lm

LIMA SQUARE DOWNLIGHT



Beam Angle: 120°x120°

Color Temperature:


- 2700-6500K

CRI:

- >80CRI

IP Rating: IP65

Led Warranty: 5 Year



Width (a)	82 mm
Length (b)	82 mm
Height (c)	81.5 mm