

## EXIT E-EX10



**Product Name:** EXIT E-EX10

**Project Code:** E-EX10

- **OSA Lighting Techniques** offers indoor lighting applications with different solutions in color and size in local production

- ***Single Sided, Surface Mounting***
- Viewing distance 30 meters
- Ral9016 white electrostatic powder painted
- Hair construction oval design
- 2mm acrylic non-flammable opal plexiglass
- Continuous, emergency and combined working style
- Surface mounting to ceiling
- High temperature resistant Nickel Cadmium battery group
- High efficiency 18 LED system
- Test button and green charge indicator
- 1 or 3 hours of light in case of emergency
- Easy assembly with all accessories
- Screen printed or self-adhesive opal labels in standard shapes
- EN 60598-2-22 EN 61347-2-7 EN 61347-2-13 EN 62384 and CE norms

## EXIT E-EX10



**Light Source:** Mid Power LED

**Operating Temperature:** -20 to 4

**Color:** Electrostatic RAL

**Special Design:** Available

**Features:** Max. eye-sight is 30m

**Warranty:** 2 years

**Diffuser:** Glass or Acrylic

**Battery:** Ni-Cd, resistant to high temperatures

**Product Type:**

- 01

**Dimensions (mm):**

- W:170
- L:330
- H:70

## EXIT E-EX10

