

EXIT E-EX11



Product Name: EXIT E-EX11

Project Code: E-EX11

• **OSA Lighting Techniques** offers indoor lighting applications with different solutions in color and size in local production

• Single and Double Sided, Surface Mounted Emergency Exit Luminaire

- Visibility 72 meters
- Backlit system
- Electrostatic powder coated DKP sheet metal body
- Ral 9016 white electrostatic powder coated sheet metal body
- 2mm non-flammable acrylic opal plexiglass
- Continuous, emergency or combined operation
- 1 or 3 hours of light in case of emergency
- Continuous, emergency and combined working style
- Mounting on surface wall from the back, directly to the ceiling, with chain, steel wire or rod
- High temperature resistant Nickel Cadmium battery
- High efficiency 18 LED system
- Easy assembly with all accessories
- Standard forms screen printed or self-adhesive opal labels
- Production in accordance with EN 60598-2-22 and CE norms



EXIT E-EX11



Light Source: Mid Power LED

Operating Temperature: -20 to 4

Color: Electrostatic RAL

Special Design: Available

Features: Max. eye-sight is 30m

Warranty: 2 years

Diffuser: Glass or Acrylic

Battery: Ni-Cd, resistant to high tempatures

Product Type:

• 01


Dimensions (mm):


- W:400
- L:610
- H:60



EXIT E-EX11







www.osaaydinlatma.com