

## EXIT E-EX2 LARGE



**Product Name:** EXIT E-EX2 LARGE

**Project Code:** E-EX2 L

- **OSA Lighting Techniques** offers indoor lighting applications with different solutions in color and size in local production
- ***Double Faced, Surface Mounted Emergency Exit Luminaire***
  - Viewing range 42 meters
  - Backlit system
  - Electrostatic powder coated DKP sheet metal body
  - Ral 9016 white electrostatic powder coated sheet metal body
  - 2mm non-flammable acrylic opal plexiglass
  - Continuous, emergency or combined operation
  - 1 or 3 hours of light in case of emergency
  - Charging indicator with green LED
  - Test button
  - Mounting directly to the ceiling with chain, steel wire or rod
  - High temperature resistant Nickel Cadmium battery
  - High efficiency 18 LED system
  - 1 or 3 hours of light in case of emergency
  - Easy assembly with all accessories
  - Standard forms screen printed or self-adhesive opal labels
  - Optional 110 VAC compatible production
  - Production in accordance with EN 60598-2-22 and CE norms

## EXIT E-EX2 LARGE



**Light Source:** Mid Power LED

**Operating Temperature:** -20 to 4

**Color:** Electrostatic RAL

**Special Design:** Available

**Features:** Max. eye-sight is 42m

**Warranty:** 2 years

**Diffuser:** Glass or Acrylic

**Battery:** Ni-Cd, resistant to high temperatures

**Product Type:**

- 01

**Dimensions (mm):**

- W:250
- L:420
- H:50

## EXIT E-EX2 LARGE

