

EXIT E-EX3



Product Name: EXIT E-EX3

Project Code: E-EX3

- **OSA Lighting Techniques** offers indoor lighting applications with different solutions in color and size in local production

- ***Single and Double Faced, Flush Mounted***
- Viewing range 30 meters
- Edge-lit system
- Electrostatic powder coated DKP sheet metal body
- Ral 9016 white electrostatic powder coated sheet metal body
- 5mm non-flammable acrylic opal Plexiglas
- Continuous, emergency or combined operation
- 1 or 3 hours of light in case of emergency
- Charging indicator with green LED
- Test button
- Recessed mounting under the plaster (Recessed)
- High temperature resistant Nickel Cadmium battery
- High efficiency 18 LED system
- 1 or 3 hours of light in case of emergency
- Easy assembly with all accessories
- Screen printed or self-adhesive opal labels in standard shapes
- Optional 110 VAC compatible production
- Production in accordance with EN 60598-2-22 and CE norms

EXIT E-EX3



Light Source: Mid Power LED

Operating Temperature: -20 to 4

Color: Electrostatic RAL

Special Design: Available

Features: Max. eye-sight is 30m

Warranty: 2 years

Diffuser: Glass or Acrylic

Battery: Ni-Cd, resistant to high temperatures

Product Type:

- 01

Dimensions (mm):

- W:160
- L:300
- H:5

EXIT E-EX3

