

## EXIT E-EX6



**Product Name:** EXIT E-EX6

**Project Code:** E-EX6

- **OSA Lighting Techniques** offers indoor lighting applications with different solutions in color and size in local production
- ***Double Sided, Surface Mounted Emergency Exit Luminaire***
  - Viewing range 30 meters
  - Edge lit system
  - Aluminum extrusion body
  - Ral 9016 and chrome coating option
  - 5mm non-flammable acrylic plexiglass
  - Continuous, emergency or combined operation
  - 1 or 3 hours of light in case of emergency
  - Charging indicator with green LED
  - Test button
  - Mounting on surface wall from the back, directly to the ceiling, with chain, steel wire or rod
  - High temperature resistant Nickel Cadmium battery
  - High efficiency 18 LED system
  - Easy assembly with all accessories
  - Screen printed or self-adhesive opal labels in standard shapes
  - Optional 110 VAC compatible production
  - Production in accordance with EN 60598 - 2-22, EN 61347-2-7, EN 61347-2-13, EN 62384 and CE norms

## EXIT E-EX6



**Light Source:** Mid Power LED

**Operating Temperature:** -20 to 4

**Color:** Electrostatic RAL

**Special Design:** Available

**Features:** Max. eye-sight is 30m

**Warranty:** 2 years

**Diffuser:** Glass or Acrylic

**Battery:** Ni-Cd, resistant to high temperatures

**Product Type:**

- 01

**Dimensions (mm):**

- W:238
- L:304
- H:50

## EXIT E-EX6

