








- **Product Name:** Corvo
- **Product Code:** CORVO-67283
- **Environment:** Indoor
- **Usage Area:** Office, Hotel, Store etc.
- **Category:** Tracking Lighting
- **Mounting Type:** Recessed and Surface





- OSA Lighting Techniques offers indoor and outdoor lighting applications with different solutions in color and size in local production.
- Easy installation and low maintenance, Castor will be your light source for years.
- LED spots, which have the feature of being long-lasting, also bring savings with them.



Housing: Die Cast Aluminum

Light Source: Led/Lamp

Operating Temperature: -20 to 40

Color: Electrostatic RAL

Distribution: Direct/Indirect

Warranty: 2 years

Diffuser: Glass or Acrylic

Driver : Electronic

Product Type:

• 1 • 2 • 3 • 4 • 5

Watt (W):

• 6 – 20 W

Input Volt:

• 12-24-36-48V

Lumen/watt :125lm/W



Beam Angle: 30°-120°

Color Temperature:

- 2700K
- 3000K
- 4000K

CRI:

- >80CRI

IP Rating: IP44

Led Warranty: 5 Year



NAME	MODEL	PHOTO	POWER	SIZE	TRACK DIMENSIONS	LED CHIPS	BEAM ANGLE	LUMENS	CRI
Magnetic Grille Spotlight	OSA-MGS395		18Watt	Width: 23mm Height: 90mm Length: 220mm	Trimless Profile: W:62,5mm H:47mm L:in desired lengths Surface Profile: W:26,5mm H:50,5mm L:in desired lengths	Samsung Osram Cree Lumileds	30°-120°	2350lm	>80CRI
Magnetic Linear Light	OSA-MLL396		18Watt	Width: 23mm Height: 90mm Length: 220mm	Trimless Profile: W:62,5mm H:47mm L:in desired lengths Surface Profile: W:26,5mm H:50,5mm L:in desired lengths	Samsung Osram Cree Lumileds	30°-120°	2350lm	>80CRI
Magnetic Fold Spotlight	OSA-MFS397		9Watt	Width: 23mm Height: 90mm Length: 112,5mm	Trimless Profile: W:62,5mm H:47mm L:in desired lengths Surface Profile: W:26,5mm H:50,5mm L:in desired lengths	Samsung Osram Cree Lumileds	30°-120°	1175lm	>80CRI
Magnetic Track Spotlight	OSA-MTS398		18Watt	Ø:60mm H:100mm	Trimless Profile: W:62,5mm H:47mm L:in desired lengths Surface Profile: W:26,5mm H:50,5mm L:in desired lengths	Samsung Osram Cree Lumileds	30°-120°	2350lm	>80CRI
Magnetic Pendant Light	OSA-MPL399		18Watt	Ø60mm H:250mm	Trimless Profile: W:62,5mm H:47mm L:in desired lengths Surface Profile: W:26,5mm H:50,5mm L:in desired lengths	Samsung Osram Cree Lumileds	30°-120°	2350lm	>80CRI